



REVISIONS				
REV	DATE	DRW'N	CHCK'D	DESCRIPTION
A	13SEP16	CR	--	INITIAL RELEASE

NOTES

1. FINAL DESIGN BRUSH CONTACT TEST BED, WILL DO AUTOMATED MEASUREMENTS OF RESISTANCE
2. USE 6-32 SCREWS TO SCURE PLASTIC BRUSH MOUNT PART TO ALUMINUM -DUE TO TAPPED HOLE LOCATION IN BRUSH MOUNT, ALSO ALLOWS SOME POSITIONING CAPABILITY

UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES & TOLERANCES ARE AS FOLLOWS

X.X: ±0.1000"    X.XX: ±0.0100"  
X.XXX: ±0.0050"    X.XXXX: ±0.0001"  
ANGLES: ±0.5°    FINISH: 125 MICRO INCHES  
BREAK ALL SHARP EDGES  
& CORNERS .002" MAX

MATERIAL	FINISH
PARTS LIST	NA



DRAWN	C.RATLIFF	--	KECK 1 DEPLOYABLE TERTIARY MIRROR	
CHECKED	J WARD	--	TEST BEDS	
DESIGNED	CR&JW	--	TITLE BRUSH TEST ASSEMBLY	
ENGINEER		--		
SW DOCUMENT FILE		PROJECT CODE	K1D3FD	DWG NO 872-LM-7052
		NEXT ASSY	--	